



HC-CARGO

Your Expert in Parts

Bulbs 2



Base B8.3d (BAX10s)					
HC-CARGO	Jahn	V	W	Specification	
170612	12	1.2		Instrument Panel - Black Base (PCB 1.6 mm)	
170611	12	2		Instrument Panel - White Base (PCB 1.6 mm)	
170613	24	1.2		Instrument Panel - Gray Base (PCB 1.6 mm)	

Base B8.4d					
HC-CARGO	Jahn	V	W	Specification	
171033	12	1.12		Instrument Panel - Orange Base (PCB 1.25 mm)	
170727	12	1.2		Instrument Panel - Black Base (PCB 1.25 mm)	
171109	12	1.2		Instrument Panel - Black Base (PCB 1.25 mm)	
171381	12	1.2		Instrument Panel - Blue Base (PCB 1.6 mm)	
171023	12	1.5		Instrument Panel - Beige Base (PCB 1.25 mm)	
170756	12	2		Instrument Panel - Light Green Base (PCB 1.25 mm)	
171110	12	2		Instrument Panel - Light Green Base (PCB 1.25 mm)	

Base B8.5d (BAX10d)					
HC-CARGO	Jahn	V	W	Specification	
171380	12	0.36		Instrument Panel - Purple Base (PCB 1.25 mm)	
171379	12	1		Instrument Panel - Orange Base (PCB 1.25 mm)	
170357	12	1.2		Instrument Panel - Black Base (PCB 1.6 mm)	
171383	12	1.5		Instrument Panel - Beige Base (PCB 1.6 mm)	
170610	12	2		Instrument Panel - Green Base (PCB 1.6 mm)	
171024	12	1.2		Instrument Panel - Blue Base (PCB 1.25 mm)	
170358	24	1.2		Instrument Panel - Grey Base (PCB 1.6 mm)	
171028	24	1.2		Instrument Panel - Brown Base (PCB 1.25 mm)	

Base B8.7d					
HC-CARGO	Jahn	V	W	Specification	
170545	12	1.2		Instrument Panel - Grey Base (PCB 1.25 mm)	
171455	12	2		Instrument Panel - Green Base (PCB 1.6 mm)	

Base BA7s					
HC-CARGO	Jahn	V	W	Specification	
171119	12	2		Parking & Flasher - Position (H=19 mm)	
170448	12	2		Parking & Flasher - Position (H=20.7 mm)	
170456	24	3		Parking & Flasher - Position (H=20.7 mm)	

Base BA9s					
HC-CARGO	Jahn	V	W	Specification	
171491	6	2		Parking & Flasher - Position (H=27.4 mm)	
171490	6	3		Parking & Flasher - Position (H=27.4 mm)	
171492	6	4		Parking & Flasher - Position (H=27.4 mm)	
171103	170345	12	2	Parking & Flasher - Position (H=23 mm)	
170594	12	3		Parking & Flasher - Position (H=23 mm)	
170774	170346	12	4	Parking & Flasher - Position (H=27.4 mm)	
170822	12	4		Parking & Flasher - Position, Xenon Blue (H=27.4 mm)	
170796	170416	24	2	Parking & Flasher - Position (H=23 mm)	
170795	170417	24	4	Parking & Flasher - Position (H=27.4 mm)	

Base BA15d					
HC-CARGO	Jahn	V	W	Specification	
171998	6	15		Stop & Flasher - Position (H=45 mm)	
171989	12	20		Stop & Flasher - Position (H=45 mm)	
170583	12	15		Stop & Flasher - Position (H=45 mm)	
171994	12	20/5		Stop & Flasher - Position (H=52.2 mm)	
172033	12	20/5		Stop & Flasher - Position (H=52.5 mm)	
171088	24	15		Stop & Flasher - Position (H=43 mm)	
171982	24	20		Stop & Flasher - Position (H=45 mm)	

Base BA15d					
HC-CARGO	Jahn	V	W	Specification	
170593	12	5		Parking & Flasher - Position (H=35 mm)	
171102	24	5		Parking & Flasher - Position (H=35 mm)	

Base BA15s					
HC-CARGO	Jahn	V	W	Specification	
171995	6	20		Stop & Flasher - Position (H=45 mm)	
171984	6	21		Stop & Flasher - Position (H=52.5 mm)	
170772	12	10		Stop & Flasher - Position (H=35 mm)	
171992	12	10		Stop & Flasher - Position, Longlife (H=35 mm)	
171990	12	15		Stop & Flasher - Position (H=35 mm)	
171988	12	18		Stop & Flasher - Position (H=45 mm)	
170335	12	21		Stop & Flasher - Position (H=52.5 mm)	
170769	12	21		Stop & Flasher - Position (H=52.5 mm)	
171091	12	21		Stop & Flasher - Position (H=50 mm) - Amber - No E-approval	
171979	12	21		Stop & Flasher - Position, Longlife (H=52.5 mm)	
170793	170351	24	10	Stop & Flasher - Position (H=35 mm)	
171076	170454	24	10	Stop & Flasher - Position (H=35 mm)	
171086	24	15		Stop & Flasher - Position (H=43 mm)	
171997	24	15		Stop & Flasher - Position (H=35 mm)	
171996	24	18		Stop & Flasher - Position (H=45 mm)	
170826	170349	24	21	Stop & Flasher - Position (H=52.5 mm)	
171078	170451	24	21	Stop & Flasher - Position (H=52.5 mm) - HD	
171986	24	25		Stop & Flasher - Position, (H=45 mm)	

Base BA15s					
HC-CARGO	Jahn	V	W	Specification	
171981	6	5		Parking & Flasher - Position (H=35 mm)	
171993	6	10		Parking & Flasher - Position (H=35 mm)	
171983	6	18		Parking & Flasher - Position (H=45 mm)	
170773	170340	12	5	Parking & Flasher - Position (H=35 mm)	
171980	12	5		Parking & Flasher - Position, Longlife (H=35 mm)	
170339	12	10		Parking & Flasher - Position (H=35 mm)	
170794	170413	24	5	Parking & Flasher - Position (H=35 mm)	
171118	170455	24	5	Parking & Flasher - Position (H=35 mm)	

Base BA15s					
HC-CARGO	Jahn	V	W	Specification	
171410	48	10		Electric Vehicles & Forklifts (H=35 mm)	
171408	48	25		Electric Vehicles & Forklifts (H=50 mm)	

Base BAU15s					
HC-CARGO	Jahn	V	W	Specification	
171089	12	21		Stop & Flasher - Position (H=50 mm) - Amber	
170648	12	21		Stop & Flasher - Position (H=52.5 mm) - Amber	
171371	12	21		Stop & Flasher - Position (H=50 mm) - Silver/Amber	
171090	24	21		Stop & Flasher - Position (H=50 mm) - Amber	
170849	24	21		Stop & Flasher - Position (H=52.5 mm) - Amber	

Base BAY15d					
HC-CARGO	Jahn	V	W	Specification	
171476	6	21/5		Stop & Tail lamp (H=52.5 mm)	
170770	12	21/5		Stop & Tail lamp (H=52.5 mm)	
170659	12	21/5		Stop & Tail lamp - Longlife (H=52.5 mm)	
171092	24	21/5		Stop & Tail lamp (H=50 mm)	
170452	24	21/5		Stop & Tail lamp (H=52.5 mm)	

Base BAY15d					
HC-CARGO	Jahn	V	W	Specification	
171411	48	25/10		Electric Vehicles & Forklifts (H=50 mm)	

Base BAZ15d					
HC-CARGO	Jahn	V	W	Specification	
171093	12	21/4		Stop & Tail lamp (H=50 mm)	
170644	12	21/4		Stop & Tail lamp (H=52.5 mm)	
170850	24	21/4		Stop & Tail lamp (H=52.5 mm)	

Base BX2d					
HC-CARGO	Jahn	V	W	Specification	
171284	12	1.2		Instrument Panel - Black Base (H=21.5 mm)	

Base E10					
HC-CARGO	Jahn	V	W	Specification	
170509	12	3		Flash & Penlight (H=24 mm)	

Base P13.5s					
HC-CARGO	Jahn	V	W	Specification	
171280	4.8	3.6		Flash & Penlight - Krypton (H=30 mm)	

Base EBS N10					
HC-CARGO	Jahn	V	W	Specification	
171377	24	1.2		Instrument Panel - Beige Base - Alba Type (PCB 1.6 mm)	

Base EBS R11					
HC-CARGO	Jahn	V	W	Specification	
171031	12	1.2		Instrument Panel - Green Base - Alba Type (PCB 2 mm)	
170698	12	1.8		Instrument Panel - Blue Base - Alba Type (PCB 2 mm)	
171025	24	1.2		Instrument Panel - Yellow Base - Alba Type (PCB 2 mm)	
171026	24	1.2		Instrument Panel - Brown Base - Alba Type (PCB 2 mm)	
171032	24	1.4		Instrument Panel - Green Base - Alba Type (PCB 2 mm)	





HC-CARGO

Your Expert
in Parts

Bulbs 3

HC-CARGO	Jahn	V	W	Specification
170731				Cover - Wedge Base (10.3 mm) - Blue
170732				Cover - Wedge Base (10.3 mm) - Green
171128				Cover - Wedge Base (5.2 mm) - Blue
171129				Cover - Wedge Base (5.2 mm) - Green

Base HRQ, F4.8				
HC-CARGO	Jahn	V	W	Specification
171112		14	1.2	Instrument Panel - Black Base
170753		14	1.4	Instrument Panel - Black Base

Base MFHZ				
HC-CARGO	Jahn	V	W	Specification
171382		12	1.2	Instrument Panel - Black Base

Base MFJF				
HC-CARGO	Jahn	V	W	Specification
171384		12	1.2	Instrument Panel - Black Base
171837		12	2	Instrument Panel - Black Base

Base S6				
HC-CARGO	Jahn	V	W	Specification
170591		12	3	Festoon (H=33 mm)

Base S7				
HC-CARGO	Jahn	V	W	Specification
170590		12	3	Festoon (H=28 mm)

Base S8.5				
HC-CARGO	Jahn	V	W	Specification
171484		6	5	Festoon (H=36 mm)
171487		6	10	Festoon (H=36 mm)
171479		6	18	Festoon (H=41 mm)
171094	170341	12	5	Festoon (H=36 mm)
171097	170343	12	5	Festoon (H=41 mm)
	170005	12	10	Festoon (H=28 mm)
171095	170411	12	10	Festoon (H=36 mm)
171098	170344	12	10	Festoon (H=41 mm)
	170342	12	15	Festoon (H=41 mm)
	170588	12	18	Festoon (H=41 mm)
171120	171139	12	21	Festoon (H=41 mm)
171096	170414	24	5	Festoon (H=36 mm)
171099		24	5	Festoon (H=41 mm)
171100		24	10	Festoon (H=41 mm)
	170592	24	15	Festoon (H=41 mm)
	170589	24	18	Festoon (H=41 mm)

Base T-1/4NW				
HC-CARGO	Jahn	V	W	Specification
170762		14	0.8	Instrument Panel - Dark Grey Base
171389		14	1.4	Instrument Panel - Black Base

T-1/4				
HC-CARGO	Jahn	V	W	Specification
170364		14	1.12	Instrument Panel

Base T-3/4				
HC-CARGO	Jahn	V	W	Specification
170972		12	0.6	Instrument Panel - used as locating bulb in switched - Jap Veh.

Base T5 (w2x4.6d)				
HC-CARGO	Jahn	V	W	Specification
170775	170410	12	1.2	Wedge Base
	170617	12	1.2	Wedge Base - Frosted
	171283	12	2	Wedge Base
	170684	24	0.7	Wedge Base
171108	170477	24	1.2	Wedge Base

Base T5 (w2x4.6d)				
HC-CARGO	Jahn	V	W	Specification
171388		12	0.4	Instrument Panel - Wedge Base - Grey Base - Frosted
	170755	12	0.5	Instrument Panel - Wedge Base - Grey Base
	170782	12	1.2	Instrument Panel - Wedge Base - Amber
	170783	12	1.2	Instrument Panel - Wedge Base - Green
	170784	12	1.2	Instrument Panel - Wedge Base - Blue
	170785	12	1.2	Instrument Panel - Wedge Base - Red
	170758	12	1.2	Instrument Panel - Wedge Base - White Base
171029		24	1.2	Instrument Panel - Wedge Base - White Base

Base T7 (B11d)				
HC-CARGO	Jahn	V	W	Specification
171111		14	2	Instrument Panel - Light Red Base
	170757	14	2	Instrument Panel - White Base

Base T7 (w2x4.6d)				
HC-CARGO	Jahn	V	W	Specification
171391		12	3	Wedge Base

Base T10 (w2.1x9.5d)				
HC-CARGO	Jahn	V	W	Specification
171121	170725	12	2	Wedge Base
171104	170331	12	3	Wedge Base
171105	170347	12	5	Wedge Base
	170662	12	5	Wedge Base - Longlife
170810		12	8	Wedge Base
	171027	24	2	Wedge Base
171106	170476	24	3	Wedge Base
171107	170542	24	5	Wedge Base
	170778	12	3	Wedge Base - Amber
	170779	12	3	Wedge Base - Green
171123	170754	12	5	Wedge Base - Amber
171122		12	5	Wedge Base - Blue
170948		12	5	Wedge Base - Xenon Blue
	170780	12	3	Wedge Base - Blue
	170781	12	3	Wedge Base - Red
	170805	24	3	Wedge Base - Amber
	170806	24	3	Wedge Base - Green
	170807	24	3	Wedge Base - Blue
	170808	24	3	Wedge Base - Red

Base T13 (w2.1x9.5d)				
HC-CARGO	Jahn	V	W	Specification
171390		12	10	Stop & Flasher - Position

Base T15 (w2.1x9.5d)				
HC-CARGO	Jahn	V	W	Specification
171402		12	10	Stop & Flasher - Position
171403		12	21	Stop & Flasher - Position

Base T15 (w2.1x9.5d)				
HC-CARGO	Jahn	V	W	Specification
171401		12	5	Parking & Flasher - Position

Base T16 (w2.1x9.5d)				
HC-CARGO	Jahn	V	W	Specification
170813		12	16	Stop & Flasher - Position

Base T20 (w3x16d)				
HC-CARGO	Jahn	V	W	Specification
170777		12	21	Stop & Flasher - Position
171398		12	21	Stop & Flasher - Position - Amber

Base T20 (w3x16d)				
HC-CARGO	Jahn	V	W	Specification
170776		12	21/5	Stop & Tail lamp

