



HALOGEN

| <br>P14.5s | H1 | HC-CARGO | Jahn   | Osram  | V  | W   | Specifikation         |
|--------------------------------------------------------------------------------------------|----|----------|--------|--------|----|-----|-----------------------|
|                                                                                            |    | 170069   | 170332 |        | 12 | 55  | Halogen               |
|                                                                                            |    | 171136   |        |        | 12 | 55  | + 50%                 |
|                                                                                            |    | 171070   | 170965 |        | 12 | 55  | + 30%                 |
|                                                                                            |    | 171071   |        | 171686 | 12 | 55  | Xenon Blue            |
|                                                                                            |    | 171068   | 170493 |        | 12 | 100 | Halogen, Ej e-godkänd |
|                                                                                            |    | 171404   |        |        | 12 | 130 | Halogen, Ej e-godkänd |

| <br>X511 | H2 | HC-CARGO | Jahn | Osram | V  | W   | Specifikation         |
|------------------------------------------------------------------------------------------|----|----------|------|-------|----|-----|-----------------------|
|                                                                                          |    | 171073   |      |       | 12 | 55  | Halogen               |
|                                                                                          |    | 170512   |      |       | 24 | 100 | Halogen, Ej e-godkänd |

| <br>PK22s | H3 | HC-CARGO | Jahn   | Osram  | V  | W   | Specifikation         |
|---------------------------------------------------------------------------------------------|----|----------|--------|--------|----|-----|-----------------------|
|                                                                                             |    | 171469   |        |        | 6  | 55  | Halogen               |
|                                                                                             |    |          | 170696 |        | 12 | 35  | Halogen               |
|                                                                                             |    | 170070   | 170333 |        | 12 | 55  | Halogen               |
|                                                                                             |    |          |        | 171687 | 12 | 55  | Nightbreaker          |
|                                                                                             |    | 171405   |        |        | 12 | 130 | Halogen, Ej e-godkänd |
|                                                                                             |    | 170836   | 170412 |        | 24 | 70  | Halogen               |
|                                                                                             |    |          | 170362 |        | 24 | 100 | Halogen, Ej e-godkänd |
|                                                                                             |    | 171407   |        |        | 48 | 45  | Halogen               |

| <br>PKY22s | H3 | HC-CARGO | Jahn   | Osram | V  | W   | Specifikation         |
|----------------------------------------------------------------------------------------------|----|----------|--------|-------|----|-----|-----------------------|
|                                                                                              |    |          | 170496 |       | 12 | 100 | Halogen, Ej e-godkänd |

| <br>P43t | H4 | HC-CARGO | Jahn   | Osram  | V  | W       | Specifikation            |
|--------------------------------------------------------------------------------------------|----|----------|--------|--------|----|---------|--------------------------|
|                                                                                            |    | 171474   |        |        | 6  | 60/55   | Halogen                  |
|                                                                                            |    |          | 170718 |        | 12 | 35/35   | Halogen                  |
|                                                                                            |    |          |        | 171688 | 12 | 60/55   | Nightbreaker             |
|                                                                                            |    | 170768   | 170334 |        | 12 | 60/55   | Halogen                  |
|                                                                                            |    | 171066   | 170804 |        | 12 | 60/55   | +30%                     |
|                                                                                            |    | 171067   | 170802 |        | 12 | 60/55   | Xenon Blue               |
|                                                                                            |    |          | 171064 |        | 12 | 60/55   | Megalight Plus/+60%      |
|                                                                                            |    | 171113   | 170657 |        | 12 | 60/55   | Halogen, Longlife        |
|                                                                                            |    | 171114   |        |        | 12 | 60/55   | Guld                     |
|                                                                                            |    | 171134   |        |        | 12 | 60/55   | 50%                      |
|                                                                                            |    | 170803   |        |        | 12 | 100/80  | Xenon Blue, Ej e-godkänd |
|                                                                                            |    | 171065   |        |        | 12 | 100/80  | Halogen, Ej e-godkänd    |
|                                                                                            |    |          | 170009 |        | 12 | 100/90  | Halogen, Ej e-godkänd    |
|                                                                                            |    | 170513   |        |        | 12 | 130/90  | Halogen, Ej e-godkänd    |
|                                                                                            |    | 170514   |        |        | 12 | 165/120 | Halogen, Ej e-godkänd    |
|                                                                                            |    | 170792   | 170348 |        | 24 | 75/70   | Halogen                  |
|                                                                                            |    | 171125   | 170450 |        | 24 | 75/70   | Halogen, HD              |
|                                                                                            |    |          | 170360 |        | 24 | 100/70  | Halogen, Ej e-godkänd    |
|                                                                                            |    | 170515   |        |        | 24 | 130/90  | Halogen, Ej e-godkänd    |

| <br>PX43t | H4 | HC-CARGO | Jahn | Osram | V | W     | Specifikation |
|---------------------------------------------------------------------------------------------|----|----------|------|-------|---|-------|---------------|
|                                                                                             |    | 171473   |      |       | 6 | 35/35 | HS1           |

| <br>P45t | H4 | HC-CARGO | Jahn   | Osram | V  | W      | Specifikation         |
|--------------------------------------------------------------------------------------------|----|----------|--------|-------|----|--------|-----------------------|
|                                                                                            |    |          | 170681 |       | 12 | 45/40  | Halogen               |
|                                                                                            |    | 170071   |        |       | 12 | 60/55  | Halogen, Ej e-godkänd |
|                                                                                            |    |          | 170359 |       | 12 | 100/80 | Halogen, Ej e-godkänd |

| <br>PX15d | MH6 | HC-CARGO | Jahn | Osram | V  | W     | Specifikation |
|---------------------------------------------------------------------------------------------|-----|----------|------|-------|----|-------|---------------|
|                                                                                             |     | 170811   |      |       | 12 | 30/30 | Bitux         |
|                                                                                             |     | 170812   |      |       | 12 | 30/30 | Halogen       |

| <br>PX26d | H7 | HC-CARGO | Jahn   | Osram  | V  | W   | Specifikation         |
|---------------------------------------------------------------------------------------------|----|----------|--------|--------|----|-----|-----------------------|
|                                                                                             |    | 171077   | 170720 |        | 12 | 55  | Halogen               |
|                                                                                             |    | 171079   | 170825 |        | 12 | 55  | Xenon Blue            |
|                                                                                             |    |          |        | 171689 | 12 | 55  | Nightbreaker          |
|                                                                                             |    | 171081   |        |        | 12 | 55  | +30%                  |
|                                                                                             |    | 171137   |        |        | 12 | 55  | +50%                  |
|                                                                                             |    | 171117   |        |        | 12 | 55  | Longlife              |
|                                                                                             |    | 170837   |        |        | 12 | 100 | Halogen, Ej e-godkänd |
|                                                                                             |    | 171080   | 170800 |        | 24 | 70  | Halogen               |

| <br>P26.4t | H13 | HC-CARGO | Jahn   | Osram | V  | W     | Specifikation |
|----------------------------------------------------------------------------------------------|-----|----------|--------|-------|----|-------|---------------|
|                                                                                              |     |          | 171796 |       | 12 | 60/55 | Halogen       |

| <br>PGJ23T-1 | H15 | HC-CARGO | Jahn | Osram  | V  | W     | Specifikation |
|------------------------------------------------------------------------------------------------|-----|----------|------|--------|----|-------|---------------|
|                                                                                                |     |          |      | 171691 | 12 | 55/15 | Halogen       |

| <br>BAX9s | H6W | HC-CARGO | Jahn   | Osram | V  | W | Specifikation |
|--------------------------------------------------------------------------------------------|-----|----------|--------|-------|----|---|---------------|
|                                                                                            |     | 171082   | 170741 |       | 12 | 6 | Halogen       |

| <br>BAY9s | H21W | HC-CARGO | Jahn   | Osram | V  | W  | Specifikation |
|--------------------------------------------------------------------------------------------|------|----------|--------|-------|----|----|---------------|
|                                                                                            |      | 171083   | 170742 |       | 12 | 21 | Halogen       |
|                                                                                            |      | 171084   |        |       | 24 | 21 | Halogen       |

| <br>P26s | H21W | HC-CARGO | Jahn | Osram | V  | W  | Specifikation |
|-------------------------------------------------------------------------------------------|------|----------|------|-------|----|----|---------------|
|                                                                                           |      | 171135   |      |       | 12 | 15 | Halogen       |

| <br>BA9s | HC-CARGO | Jahn | Osram | V  | W  | Specifikation |
|-------------------------------------------------------------------------------------------|----------|------|-------|----|----|---------------|
|                                                                                           | 170470   |      |       | 12 | 5  | Halogen       |
|                                                                                           | 170502   |      |       | 12 | 12 | Halogen       |
|                                                                                           | 170380   |      |       | 12 | 20 | Halogen       |

| <br>G4 | HC-CARGO | Jahn | Osram | V  | W  | Specifikation |
|-------------------------------------------------------------------------------------------|----------|------|-------|----|----|---------------|
|                                                                                           | 171425   |      |       | 12 | 5  | Halogen       |
|                                                                                           | 170712   |      |       | 12 | 10 | Halogen       |
|                                                                                           | 170749   |      |       | 12 | 20 | Halogen       |
|                                                                                           | 170848   |      |       | 24 | 10 | Halogen       |
|                                                                                           | 170750   |      |       | 24 | 20 | Halogen       |

| <br>T10 | HC-CARGO | Jahn | Osram | V  | W | Specifikation |
|--------------------------------------------------------------------------------------------|----------|------|-------|----|---|---------------|
|                                                                                            | 171124   |      |       | 12 | 5 | Halogen       |

| <br>B10d | HC-CARGO | Jahn | Osram | V  | W | Specifikation         |
|---------------------------------------------------------------------------------------------|----------|------|-------|----|---|-----------------------|
|                                                                                             | 170751   |      |       | 12 | 3 | Halogen, brun sockel  |
|                                                                                             | 170752   |      |       | 12 | 5 | Halogen, svart sockel |

| <br>BA15s | HC-CARGO | Jahn | Osram | V  | W  | Specifikation |
|----------------------------------------------------------------------------------------------|----------|------|-------|----|----|---------------|
|                                                                                              | 171987   |      |       | 12 | 10 | Halogen       |

AMERIKANSKA VARIANTER

| <br>W2.5x16q | HC-CARGO | Jahn | Osram | V  | W    | Specifikation  |
|-------------------------------------------------------------------------------------------------|----------|------|-------|----|------|----------------|
|                                                                                                 | 170710   |      |       | 12 | 27/7 | 3157           |
|                                                                                                 | 170711   |      |       | 12 | 27/7 | Orange 3157 Na |

| <br>P29t | HB1 | HC-CARGO | Jahn | Osram | V  | W     | Specifikation |
|---------------------------------------------------------------------------------------------|-----|----------|------|-------|----|-------|---------------|
|                                                                                             |     | 170692   |      |       | 12 | 65/45 | Halogen       |

| <br>P20d | HB3 | HC-CARGO | Jahn | Osram | V  | W  | Specifikation |
|---------------------------------------------------------------------------------------------|-----|----------|------|-------|----|----|---------------|
|                                                                                             |     | 170693   |      |       | 12 | 65 | Halogen       |

| <br>P20d | HB3A | HC-CARGO | Jahn | Osram | V  | W  | Specifikation |
|---------------------------------------------------------------------------------------------|------|----------|------|-------|----|----|---------------|
|                                                                                             |      | 171804   |      |       | 12 | 60 | Halogen       |

| <br>P22d | HB4 | HC-CARGO | Jahn | Osram | V  | W  | Specifikation |
|---------------------------------------------------------------------------------------------|-----|----------|------|-------|----|----|---------------|
|                                                                                             |     | 170694   |      |       | 12 | 55 | Halogen       |

| <br>P22d | HB4A | HC-CARGO | Jahn | Osram | V  | W  | Specifikation |
|---------------------------------------------------------------------------------------------|------|----------|------|-------|----|----|---------------|
|                                                                                             |      | 171794   |      |       | 12 | 51 | Halogen       |

| <br>PX29t | HB5 | HC-CARGO | Jahn | Osram | V  | W     | Specifikation |
|----------------------------------------------------------------------------------------------|-----|----------|------|-------|----|-------|---------------|
|                                                                                              |     | 171039   |      |       | 12 | 65/55 | Halogen       |

| <br>PGJ19-1 | H8 | HC-CARGO | Jahn | Osram | V  | W  | Specifikation |
|------------------------------------------------------------------------------------------------|----|----------|------|-------|----|----|---------------|
|                                                                                                |    | 171034   |      |       | 12 | 35 | Halogen       |

| <br>PGJ19-5 | H9 | HC-CARGO | Jahn | Osram | V  | W  | Specifikation |
|------------------------------------------------------------------------------------------------|----|----------|------|-------|----|----|---------------|
|                                                                                                |    | 171035   |      |       | 12 | 65 | Halogen       |

| <br>PY20d | H10 | HC-CARGO | Jahn | Osram | V  | W  | Specifikation |
|----------------------------------------------------------------------------------------------|-----|----------|------|-------|----|----|---------------|
|                                                                                              |     | 171036   |      |       | 12 | 42 | Halogen       |

| <br>PGJ19-2 | H11 | HC-CARGO | Jahn   | Osram  | V  | W  | Specifikation         |
|------------------------------------------------------------------------------------------------|-----|----------|--------|--------|----|----|-----------------------|
|                                                                                                |     |          | 171037 |        | 12 | 55 | Halogen               |
|                                                                                                |     |          |        | 171690 | 12 | 55 | Halogen, Nightbreaker |
|                                                                                                |     | 172073   |        |        | 24 | 70 | Halogen               |

| <br>PG13 | H27W/1 | HC-CARGO | Jahn   | Osram | V  | W  | Specifikation |
|---------------------------------------------------------------------------------------------|--------|----------|--------|-------|----|----|---------------|
|                                                                                             |        |          | 171009 |       | 12 | 27 | Halogen       |

| <br>PGJ13 | H27W/2 | HC-CARGO | Jahn   | Osram | V  | W    | Specifikation |
|-----------------------------------------------------------------------------------------------|--------|----------|--------|-------|----|------|---------------|
|                                                                                               |        |          | 171010 |       | 12 | 27   | Halogen       |
|                                                                                               |        |          | 170726 |       | 12 | 37.5 | Halogen       |
|                                                                                               |        | 171953   | 170951 |       | 12 | 50   | Halogen       |

XENON / HID

| <br>PK32d-2<br>PK32d-3 | D1S / D1R | HC-CARGO | Jahn | Osram  | V  | W  | Specifikation |
|-------------------------------------------------------------------------------------------------------------|-----------|----------|------|--------|----|----|---------------|
|                                                                                                             |           |          |      | 171613 | 85 | 35 | D1S HID       |
|                                                                                                             |           |          |      | 171683 | 85 | 35 | D1R HID       |

| <br>P32d-2 P32d-3 | D2S / D2R | HC-CARGO | Jahn | Osram  | V  | W  | Specifikation |
|--------------------------------------------------------------------------------------------------------|-----------|----------|------|--------|----|----|---------------|
|                                                                                                        |           |          |      | 171133 | 85 | 35 | D2S HID       |
|                                                                                                        |           |          |      | 171132 | 85 | 35 | D2R HID       |

| <br>PK32d-5<br>PK32d-6 | D3S / D3R | HC-CARGO | Jahn | Osram  | V  | W  | Specifikation |
|-------------------------------------------------------------------------------------------------------------|-----------|----------|------|--------|----|----|---------------|
|                                                                                                             |           |          |      | 171712 | 42 | 35 | D3S HID       |
|                                                                                                             |           |          |      | 171710 | 42 | 35 | D3R HID       |

| <br>P32d-5<br>P32d-6 | D4S / D4R | HC-CARGO | Jahn | Osram  | V  | W  | Specifikation |
|-----------------------------------------------------------------------------------------------------------|-----------|----------|------|--------|----|----|---------------|
|                                                                                                           |           |          |      | 171713 | 42 | 35 | D4S HID       |
|                                                                                                           |           |          |      | 171711 | 42 | 35 | D4R HID       |

KONVENTIONELL STRÅLKASTARLAMP

| <br>BA20s | HC-CARGO | Jahn | V  | W | Specifikation                                              |
|------------------------------------------------------------------------------------------------|----------|------|----|---|------------------------------------------------------------|
|                                                                                                | 170575   | 12   | 35 |   | Konventionell strålkastarlampa                             |
|                                                                                                | 170579   | 12   | 50 |   | Konventionell strålkastarlampa (tyska & italienska fordon) |

| <br>P26s | HC-CARGO | Jahn | V  | W | Specifikation                  |
|-----------------------------------------------------------------------------------------------|----------|------|----|---|--------------------------------|
|                                                                                               | 170816   | 12   | 15 |   | Konventionell strålkastarlampa |

| <br>P45t | HC-CARGO | Jahn   | V  | W     | Specifikation                  |
|-----------------------------------------------------------------------------------------------|----------|--------|----|-------|--------------------------------|
|                                                                                               |          | 171477 | 6  | 45/40 | Konventionell strålkastarlampa |
|                                                                                               | 170771   | 170338 | 12 | 45/40 | Konventionell strålkastarlampa |
|                                                                                               |          | 170350 | 24 | 55/50 | Konventionell strålkastarlampa |

| <br>BA15s | HC-CARGO | Jahn | V  | W  | Specifikation                        |
|------------------------------------------------------------------------------------------------|----------|------|----|----|--------------------------------------|
|                                                                                                | 171991   |      | 12 | 45 | Konventionell, US & UK applikationer |
|                                                                                                | 171978   |      | 24 | 45 | Konventionell, US & UK applikationer |

| <br>BA20d | HC-CARGO | Jahn | V  | W     | Specifikation |
|------------------------------------------------------------------------------------------------|----------|------|----|-------|---------------|
|                                                                                                | 171977   |      | 6  | 35/35 | Konventionell |
|                                                                                                | 171985   |      | 12 | 25/25 | Konventionell |
|                                                                                                | 171975   |      | 12 | 35/35 | Konventionell |
|                                                                                                | 171974   |      | 12 | 45/40 | Konventionell |
|                                                                                                | 171976   |      | 24 | 45/40 | Konventionell |

| <br>PG20/4 | HC-CARGO | Jahn | V  | W  | Specifikation                 |
|-------------------------------------------------------------------------------------------------|----------|------|----|----|-------------------------------|
|                                                                                                 | 171869   |      | 12 | 24 | Konventionell, Orange, 300 lm |


| <br>PGU20/4 | HC-CARGO |    |    |                       |  |
|--------------------------------------------------------------------------------------------------|----------|----|----|-----------------------|--|
|                                                                                                  | Jahn     | V  | W  | Specifikation         |  |
|                                                                                                  | 172074   | 12 | 24 | Konventionell, Orange |  |





## B8.3d (BAX10s)

| HC-CARGO | Jahn | V   | W | Specification                               |
|----------|------|-----|---|---------------------------------------------|
| 170612   | 12   | 1.2 |   | Instrumentpanel - Svart sockel (PCB 1.6 mm) |
| 170611   | 12   | 2   |   | Instrumentpanel - Vit sockel (PCB 1.6 mm)   |
| 170613   | 24   | 1.2 |   | Instrumentpanel - Grå sockel (PCB 1.6 mm)   |




## B8.4d

| HC-CARGO | Jahn | V    | W | Specification                                   |
|----------|------|------|---|-------------------------------------------------|
| 171033   | 12   | 1.12 |   | Instrumentpanel - Orange sockel (PCB 1.25 mm)   |
| 170727   | 12   | 1.2  |   | Instrumentpanel - Svart sockel (PCB 1.25 mm)    |
| 171109   | 12   | 1.2  |   | Instrumentpanel - Svart sockel (PCB 1.25 mm)    |
| 171381   | 12   | 1.2  |   | Instrumentpanel - Blå sockel (PCB 1.6 mm)       |
| 171023   | 12   | 1.5  |   | Instrumentpanel - Beige sockel (PCB 1.25 mm)    |
| 170756   | 12   | 2    |   | Instrumentpanel - Ljusgrön sockel (PCB 1.25 mm) |
| 171110   | 12   | 2    |   | Instrumentpanel - Ljusgrön sockel (PCB 1.25 mm) |



## B8.5d (BAX10d)

| HC-CARGO | Jahn | V    | W | Specification                                 |
|----------|------|------|---|-----------------------------------------------|
| 171380   | 12   | 0.36 |   | Instrumentpanel - Lila sockel (PCB 1.25 mm)   |
| 171379   | 12   | 1    |   | Instrumentpanel - Orange sockel (PCB 1.25 mm) |
| 170357   | 12   | 1.2  |   | Instrumentpanel - Svart sockel (PCB 1.6 mm)   |
| 171383   | 12   | 1.5  |   | Instrumentpanel - Beige sockel (PCB 1.6 mm)   |
| 170610   | 12   | 2    |   | Instrumentpanel - Grön sockel (PCB 1.6 mm)    |
| 171024   | 12   | 1.2  |   | Instrumentpanel - Blå sockel (PCB 1.25 mm)    |
| 170358   | 24   | 1.2  |   | Instrumentpanel - Grå sockel (PCB 1.6 mm)     |
| 171028   | 24   | 1.2  |   | Instrumentpanel - Brun sockel (PCB 1.25 mm)   |



## B8.7d

| HC-CARGO | Jahn | V   | W | Specification                              |
|----------|------|-----|---|--------------------------------------------|
| 170545   | 12   | 1.2 |   | Instrumentpanel - Grå sockel (PCB 1.25 mm) |
| 171455   | 12   | 2   |   | Instrumentpanel - Grön sockel (PCB 1.6 mm) |



## BA7s

| HC-CARGO | Jahn | V | W | Specification                            |
|----------|------|---|---|------------------------------------------|
| 171119   | 12   | 2 |   | Parkering & blink - Position (H=19 mm)   |
| 170448   | 12   | 2 |   | Parkering & blink - Position (H=20.7 mm) |
| 170456   | 24   | 3 |   | Parkering & blink - Position (H=20.7 mm) |




## BA9s

| HC-CARGO | Jahn | V | W | Specification                                        |
|----------|------|---|---|------------------------------------------------------|
| 171491   | 6    | 2 |   | Parkering & blink - Position (H=27.4 mm)             |
| 171490   | 6    | 3 |   | Parkering & blink - Position (H=27.4 mm)             |
| 171492   | 6    | 4 |   | Parkering & blink - Position (H=27.4 mm)             |
| 171103   | 12   | 2 |   | Parkering & blink - Position (H=23 mm)               |
| 170594   | 12   | 3 |   | Parkering & blink - Position (H=23 mm)               |
| 170774   | 12   | 4 |   | Parkering & blink - Position (H=27.4 mm)             |
| 170822   | 12   | 4 |   | Parkering & blink - Position, Xenon Blue (H=27.4 mm) |
| 170796   | 24   | 2 |   | Parkering & blink - Position (H=23 mm)               |
| 170795   | 24   | 4 |   | Parkering & blink - Position (H=27.4 mm)             |



## BA15d

| HC-CARGO | Jahn | V    | W | Specification                        |
|----------|------|------|---|--------------------------------------|
| 171998   | 6    | 15   |   | Stopp & blink - Position (H=45 mm)   |
| 171989   | 12   | 20   |   | Stopp & blink - Position (H=45 mm)   |
| 170583   | 12   | 15   |   | Stopp & blink - Position (H=45 mm)   |
| 171994   | 12   | 20/5 |   | Stopp & blink - Position (H=52.2 mm) |
| 172033   | 12   | 20/5 |   | Stopp & blink - Position (H=52.5 mm) |
| 171088   | 24   | 15   |   | Stopp & blink - Position (H=43 mm)   |
| 171982   | 24   | 20   |   | Stopp & blink - Position (H=45 mm)   |



## BA15d

| HC-CARGO | Jahn | V | W | Specification                          |
|----------|------|---|---|----------------------------------------|
| 170593   | 12   | 5 |   | Parkering & blink - Position (H=35 mm) |
| 171102   | 24   | 5 |   | Parkering & blink - Position (H=35 mm) |



## BA15s

| HC-CARGO | Jahn | V  | W | Specification                                              |
|----------|------|----|---|------------------------------------------------------------|
| 171995   | 6    | 20 |   | Stopp & blink - Position (H=45 mm)                         |
| 171984   | 6    | 21 |   | Stopp & blink - Position (H=52.5 mm)                       |
| 170772   | 12   | 10 |   | Stopp & blink - Position (H=35 mm)                         |
| 171992   | 12   | 10 |   | Stopp & blink - Position, Longlife (H=35 mm)               |
| 171990   | 12   | 15 |   | Stopp & blink - Position (H=35 mm)                         |
| 171988   | 12   | 18 |   | Stopp & blink - Position (H=45 mm)                         |
| 170335   | 12   | 21 |   | Stopp & blink - Position (H=52.5 mm)                       |
| 170769   | 12   | 21 |   | Stopp & blink - Position (H=52.5 mm)                       |
| 171091   | 12   | 21 |   | Stopp & blink - Position (H=50 mm) - Orange - ej e-godkänd |
| 171979   | 12   | 21 |   | Stopp & blink - Position, Longlife (H=52.5 mm)             |
| 170793   | 24   | 10 |   | Stopp & blink - Position (H=35 mm)                         |
| 171076   | 24   | 10 |   | Stopp & blink - Position (H=35 mm)                         |
| 171086   | 24   | 15 |   | Stopp & blink - Position (H=43 mm)                         |
| 171997   | 24   | 15 |   | Stopp & blink - Position (H=35 mm)                         |
| 171996   | 24   | 18 |   | Stopp & blink - Position (H=45 mm)                         |
| 170826   | 24   | 21 |   | Stopp & blink - Position (H=52.5 mm)                       |
| 171078   | 24   | 21 |   | Stopp & blink - Position (H=52.5 mm) - HD                  |
| 171986   | 24   | 25 |   | Stopp & blink - Position, (H=45 mm)                        |



## BA15s

| HC-CARGO | Jahn | V  | W | Specification                                    |
|----------|------|----|---|--------------------------------------------------|
| 171981   | 6    | 5  |   | Parkering & blink - Position (H=35 mm)           |
| 171993   | 6    | 10 |   | Parkering & blink - Position (H=35 mm)           |
| 171983   | 6    | 18 |   | Parkering & blink - Position (H=45 mm)           |
| 170773   | 12   | 5  |   | Parkering & blink - Position (H=35 mm)           |
| 171980   | 12   | 5  |   | Parkering & blink - Position, Longlife (H=35 mm) |
| 170339   | 12   | 10 |   | Parkering & blink - Position (H=35 mm)           |
| 170794   | 24   | 5  |   | Parkering & blink - Position (H=35 mm)           |
| 171118   | 24   | 5  |   | Parkering & blink - Position (H=35 mm)           |




## BA15s

| HC-CARGO | Jahn | V  | W | Specification                         |
|----------|------|----|---|---------------------------------------|
| 171410   | 48   | 10 |   | Elektriska fordon & truckar (H=35 mm) |
| 171408   | 48   | 25 |   | Elektriska fordon & truckar (H=50 mm) |



## BAU15s

| HC-CARGO | Jahn | V  | W | Specification                                      |
|----------|------|----|---|----------------------------------------------------|
| 171089   | 12   | 21 |   | Stopp & blink - Position (H=50 mm) - Orange        |
| 170648   | 12   | 21 |   | Stopp & blink - Position (H=52.5 mm) - Orange      |
| 171371   | 12   | 21 |   | Stopp & blink - Position (H=50 mm) - Silver/Orange |
| 171090   | 24   | 21 |   | Stopp & blink - Position (H=50 mm) - Orange        |
| 170849   | 24   | 21 |   | Stopp & blink - Position (H=52.5 mm) - Orange      |




## BAY15d

| HC-CARGO | Jahn | V    | W | Specification                          |
|----------|------|------|---|----------------------------------------|
| 171476   | 6    | 21/5 |   | Stopp & bakljus (H=52.5 mm)            |
| 170770   | 12   | 21/5 |   | Stopp & bakljus (H=52.5 mm)            |
| 170659   | 12   | 21/5 |   | Stopp & bakljus - Longlife (H=52.5 mm) |
| 171092   | 24   | 21/5 |   | Stopp & bakljus (H=50 mm)              |
| 170452   | 24   | 21/5 |   | Stopp & bakljus (H=52.5 mm)            |



## BAY15d

| HC-CARGO | Jahn | V     | W | Specification                         |
|----------|------|-------|---|---------------------------------------|
| 171411   | 48   | 25/10 |   | Elektriska fordon & truckar (H=50 mm) |



## BAZ15d

| HC-CARGO | Jahn | V    | W | Specification               |
|----------|------|------|---|-----------------------------|
| 171093   | 12   | 21/4 |   | Stopp & bakljus (H=50 mm)   |
| 170644   | 12   | 21/4 |   | Stopp & bakljus (H=52.5 mm) |
| 170850   | 24   | 21/4 |   | Stopp & bakljus (H=52.5 mm) |



## BX2d

| HC-CARGO | Jahn | V   | W | Specification                              |
|----------|------|-----|---|--------------------------------------------|
| 171284   | 12   | 1.2 |   | Instrumentpanel - Svart sockel (H=21.5 mm) |



## E10

| HC-CARGO | Jahn | V | W | Specification               |
|----------|------|---|---|-----------------------------|
| 170509   | 12   | 3 |   | Blink & ficklampa (H=24 mm) |




## P13.5s

| HC-CARGO | Jahn | V   | W | Specification                         |
|----------|------|-----|---|---------------------------------------|
| 171280   | 4.8  | 3.6 |   | Blink & ficklampa - Krypton (H=30 mm) |



## EBS N10

| HC-CARGO | Jahn | V   | W | Specification                                          |
|----------|------|-----|---|--------------------------------------------------------|
| 171377   | 24   | 1.2 |   | Instrumentpanel - Beige sockel - Alba typ (PCB 1.6 mm) |



## EBS R11

| HC-CARGO | Jahn | V   | W | Specification                                       |
|----------|------|-----|---|-----------------------------------------------------|
| 171031   | 12   | 1.2 |   | Instrumentpanel - Grön sockel - Alba Typ (PCB 2 mm) |
| 170698   | 12   | 1.8 |   | Instrumentpanel - Blå sockel - Alba Type (PCB 2 mm) |
| 171025   | 24   | 1.2 |   | Instrumentpanel - Gul sockel - Alba Typ (PCB 2 mm)  |
| 171026   | 24   | 1.2 |   | Instrumentpanel - Brun sockel - Alba Typ (PCB 2 mm) |
| 171032   | 24   | 1.4 |   | Instrumentpanel - Grön sockel - Alba Typ (PCB 2 mm) |





|  | HC-CARGO | Jahn | V | W | Specification                       |
|--|----------|------|---|---|-------------------------------------|
|  | 170731   |      |   |   | Hätta - glassockel (10.3 mm) - Blå  |
|  | 170732   |      |   |   | Hätta - glassockel (10.3 mm) - Grön |
|  | 171128   |      |   |   | Hätta - glassockel (5.2 mm) - Blå   |
|  | 171129   |      |   |   | Hätta - glassockel (5.2 mm) - Grön  |

|  | HRQ, F4.8 | HC-CARGO | Jahn | V  | W   | Specification                  |
|--|-----------|----------|------|----|-----|--------------------------------|
|  |           | 171112   |      | 14 | 1.2 | Instrumentpanel - Svart sockel |
|  |           | 170753   |      | 14 | 1.4 | Instrumentpanel - Svart sockel |

|  | MFHZ | HC-CARGO | Jahn | V  | W   | Specification                  |
|--|------|----------|------|----|-----|--------------------------------|
|  |      | 171382   |      | 12 | 1.2 | Instrumentpanel - Svart sockel |

|  | MFJF | HC-CARGO | Jahn | V  | W   | Specification                  |
|--|------|----------|------|----|-----|--------------------------------|
|  |      | 171384   |      | 12 | 1.2 | Instrumentpanel - Svart sockel |
|  |      | 171837   |      | 12 | 2   | Instrumentpanel - Svart sockel |

|  | S6 | HC-CARGO | Jahn | V  | W | Specification       |
|--|----|----------|------|----|---|---------------------|
|  |    | 170591   |      | 12 | 3 | Spollampa (H=33 mm) |

|  | S7 | HC-CARGO | Jahn | V  | W | Specification       |
|--|----|----------|------|----|---|---------------------|
|  |    | 170590   |      | 12 | 3 | Spollampa (H=28 mm) |

|  | S8.5 | HC-CARGO | Jahn   | V  | W  | Specification       |
|--|------|----------|--------|----|----|---------------------|
|  |      | 171484   |        | 6  | 5  | Spollampa (H=36 mm) |
|  |      | 171487   |        | 6  | 10 | Spollampa (H=36 mm) |
|  |      | 171479   |        | 6  | 18 | Spollampa (H=41 mm) |
|  |      | 171094   | 170341 | 12 | 5  | Spollampa (H=36 mm) |
|  |      | 171097   | 170343 | 12 | 5  | Spollampa (H=41 mm) |
|  |      | 170005   | 12     | 10 |    | Spollampa (H=28 mm) |
|  |      | 171095   | 170411 | 12 | 10 | Spollampa (H=36 mm) |
|  |      | 171098   | 170344 | 12 | 10 | Spollampa (H=41 mm) |
|  |      | 170342   | 12     | 15 |    | Spollampa (H=41 mm) |
|  |      | 170588   | 12     | 18 |    | Spollampa (H=41 mm) |
|  |      | 171120   | 171139 | 12 | 21 | Spollampa (H=41 mm) |
|  |      | 171096   | 170414 | 24 | 5  | Spollampa (H=36 mm) |
|  |      | 171099   | 24     | 5  |    | Spollampa (H=41 mm) |
|  |      | 171100   | 24     | 10 |    | Spollampa (H=41 mm) |
|  |      | 170592   | 24     | 15 |    | Spollampa (H=41 mm) |
|  |      | 170589   | 24     | 18 |    | Spollampa (H=41 mm) |

|  | T-1/4NW | HC-CARGO | Jahn | V  | W   | Specification                    |
|--|---------|----------|------|----|-----|----------------------------------|
|  |         | 170762   |      | 14 | 0.8 | Instrumentpanel - Mörkgrå sockel |
|  |         | 171389   |      | 14 | 1.4 | Instrumentpanel - Svart sockel   |

|  | T-1/4 | HC-CARGO | Jahn | V  | W    | Specification   |
|--|-------|----------|------|----|------|-----------------|
|  |       | 170364   |      | 14 | 1.12 | Instrumentpanel |

|  | T-3/4 | HC-CARGO | Jahn | V  | W   | Specification                     |
|--|-------|----------|------|----|-----|-----------------------------------|
|  |       | 170972   |      | 12 | 0.6 | Instrumentpanel - Japanska fordon |

|  | T5 (w2x4.6d) | HC-CARGO | Jahn   | V   | W   | Specification        |
|--|--------------|----------|--------|-----|-----|----------------------|
|  |              | 170775   | 170410 | 12  | 1.2 | Glassockel           |
|  |              | 170617   | 12     | 1.2 |     | Glassockel - Frostad |
|  |              | 171283   | 12     | 2   |     | Glassockel           |
|  |              | 170684   | 24     | 0.7 |     | Glassockel           |
|  |              | 171108   | 170477 | 24  | 1.2 | Glassockel           |

|  | T5 (w2x4 6d) | HC-CARGO | Jahn | V   | W   | Specification                                       |
|--|--------------|----------|------|-----|-----|-----------------------------------------------------|
|  |              | 171388   |      | 12  | 0.4 | Instrumentpanel - Glassockel - Grå sockel - Frostad |
|  |              | 170755   | 12   | 0.5 |     | Instrumentpanel - Glassockel - Grå sockel           |
|  |              | 170782   | 12   | 1.2 |     | Instrumentpanel - Glassockel - Orange               |
|  |              | 170783   | 12   | 1.2 |     | Instrumentpanel - Glassockel - Grön                 |
|  |              | 170784   | 12   | 1.2 |     | Instrumentpanel - Glassockel - Blå                  |
|  |              | 170785   | 12   | 1.2 |     | Instrumentpanel - Glassockel - Röd                  |
|  |              | 170758   | 12   | 1.2 |     | Instrumentpanel - Glassockel - Vit sockel           |
|  |              | 171029   | 24   | 1.2 |     | Instrumentpanel - Glassockel - Vit sockel           |

|  | T7 (B11d) | HC-CARGO | Jahn | V  | W | Specification                    |
|--|-----------|----------|------|----|---|----------------------------------|
|  |           | 171111   |      | 14 | 2 | Instrumentpanel - Ljusröd sockel |
|  |           | 170757   | 14   | 2  |   | Instrumentpanel - Vit sockel     |

|  | T7 (w2x4.6d) | HC-CARGO | Jahn | V  | W | Specification |
|--|--------------|----------|------|----|---|---------------|
|  |              | 171391   |      | 12 | 3 | Glassockel    |

|  | T10 (w2.1x9.5d) | HC-CARGO | Jahn   | V  | W | Specification           |
|--|-----------------|----------|--------|----|---|-------------------------|
|  |                 | 171121   | 170725 | 12 | 2 | Glassockel              |
|  |                 | 171104   | 170331 | 12 | 3 | Glassockel              |
|  |                 | 171105   | 170347 | 12 | 5 | Glassockel              |
|  |                 | 170662   | 12     | 5  |   | Glassockel - Longlife   |
|  |                 | 170810   | 12     | 8  |   | Glassockel              |
|  |                 | 171027   | 24     | 2  |   | Glassockel              |
|  |                 | 171106   | 170476 | 24 | 3 | Glassockel              |
|  |                 | 171107   | 170542 | 24 | 5 | Glassockel              |
|  |                 | 170778   | 12     | 3  |   | Glassockel - Orange     |
|  |                 | 170779   | 12     | 3  |   | Glassockel - Grön       |
|  |                 | 171123   | 170754 | 12 | 5 | Glassockel - Orange     |
|  |                 | 171122   | 12     | 5  |   | Glassockel - Blå        |
|  |                 | 170948   | 12     | 5  |   | Glassockel - Xenon Blue |
|  |                 | 170780   | 12     | 3  |   | Glassockel - Blå        |
|  |                 | 170781   | 12     | 3  |   | Glassockel - Röd        |
|  |                 | 170805   | 24     | 3  |   | Glassockel - Orange     |
|  |                 | 170806   | 24     | 3  |   | Glassockel - Grön       |
|  |                 | 170807   | 24     | 3  |   | Glassockel - Blå        |
|  |                 | 170808   | 24     | 3  |   | Glassockel - Röd        |

|  | T13 (w2.1x9.5d) | HC-CARGO | Jahn | V  | W  | Specification            |
|--|-----------------|----------|------|----|----|--------------------------|
|  |                 | 171390   |      | 12 | 10 | Stopp & blink - Position |

|  | T15 (w2.1x9.5d) | HC-CARGO | Jahn | V  | W  | Specification            |
|--|-----------------|----------|------|----|----|--------------------------|
|  |                 | 171402   |      | 12 | 10 | Stopp & blink - Position |
|  |                 | 171403   |      | 12 | 21 | Stopp & blink - Position |

|  | T15 (w2.1x9.5d) | HC-CARGO | Jahn | V  | W | Specification                |
|--|-----------------|----------|------|----|---|------------------------------|
|  |                 | 171401   |      | 12 | 5 | Parkering & blink - Position |

|  | T16 (w2.1x9.5d) | HC-CARGO | Jahn | V  | W  | Specification            |
|--|-----------------|----------|------|----|----|--------------------------|
|  |                 | 170813   |      | 12 | 16 | Stopp & blink - Position |

|  | T20 (w3x16d) | HC-CARGO | Jahn | V  | W | Specification                     |
|--|--------------|----------|------|----|---|-----------------------------------|
|  |              | 170777   | 12   | 21 |   | Stopp & blink - Position          |
|  |              | 171398   | 12   | 21 |   | Stopp & blink - Position - Orange |

|  | T20 (w3x16d) | HC-CARGO | Jahn | V    | W | Specification   |
|--|--------------|----------|------|------|---|-----------------|
|  |              | 170776   | 12   | 21/5 |   | Stopp & bakljus |

LED

|  | Base BA15s | HC-CARGO | Jahn | V   | W | Specification     |
|--|------------|----------|------|-----|---|-------------------|
|  |            | 172158   | 12   | 0.4 |   | 5 LED's - Red     |
|  |            | 172159   | 12   | 0.4 |   | 5 LED's - White   |
|  |            | 172157   | 12   | 1.3 |   | 5 LED's - Yellow  |
|  |            | 172162   | 12   | 1.3 |   | 19 LED's - Yellow |
|  |            | 172161   | 12   | 1.3 |   | 19 LED's - Red    |
|  |            | 172160   | 12   | 1.3 |   | 19 LED's - White  |
|  |            | 172163   | 24   | 0.7 |   | 5 LED's - White   |
|  |            | 1721 65  | 24   | 0.7 |   | 19 LED's - Red    |
|  |            | 172164   | 24   | 0.7 |   | 19 LED's - White  |
|  |            | 172166   | 24   | 0.7 |   | 19 LED's - Yellow |

|  | Base BA9s | HC-CARGO | Jahn | V  | W   | Specification   |
|--|-----------|----------|------|----|-----|-----------------|
|  |           | 172170   |      | 12 | 0.4 | 4 LED's - White |
|  |           | 172171   |      | 24 | 0.2 | 4 LED's - White |

|  | Base BAX9s | HC-CARGO | Jahn | V  | W   | Specification   |
|--|------------|----------|------|----|-----|-----------------|
|  |            | 172182   |      | 12 | 2.3 | 8 LED's - White |

|  | Base BAY15d | HC-CARGO | Jahn | V  | W   | Specification    |
|--|-------------|----------|------|----|-----|------------------|
|  |             | 172167   |      | 12 | 1.3 | 19 LED's - Red   |
|  |             | 172168   |      | 12 | 1.3 | 19 LED's - White |
|  |             | 172169   |      | 24 | 0.7 | 19 LED's - White |

|  | Base KW2.1x9.5d | HC-CARGO | Jahn | V  | W   | Specification    |
|--|-----------------|----------|------|----|-----|------------------|
|  |                 | 172174   |      | 24 | 0.2 | 4 LED's - Red    |
|  |                 | 172175   |      | 24 | 0.2 | 4 LED's - White  |
|  |                 | 172176   |      | 24 | 0.1 | 4 LED's - Yellow |

|  | Base SV8.5 | HC-CARGO | Jahn | V  | W   | Specification   |
|--|------------|----------|------|----|-----|-----------------|
|  |            | 172179   |      | 12 | 0.2 | 3 LED's - Red   |
|  |            | 172181   |      | 12 | 0.2 | 3 LED's - White |
|  |            | 172180   |      | 12 | 2   | 3 LED's - Blue  |
|  |            | 172178   |      | 24 | 0.2 | 3 LED's - White |
|  |            | 172177   |      | 24 | 1   | 3 LED's - Red   |

|  | Base W2.1x9.5d | HC-CARGO | Jahn | V  | W   | Specification    |
|--|----------------|----------|------|----|-----|------------------|
|  |                | 172173   |      | 12 | 0.2 | 4 LED's - Yellow |
|  |                | 172172   |      | 12 | 0.4 | 4 LED's - White  |